

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20060049135"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 09:28
L2	2	"5242863".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 09:29
L3	2	"6113218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 09:29
L4	2	"6019458".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 09:30
L5	3	(inkjet with head with substrate with cavity with porous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:18
L6	881	(inkjet with head) with (substrate\$2 with cavitynear10 (porous ro silicon))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:19
L7	8094	ink adj channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:20

L8	71	6 and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:20
L9	22	6 and 7 and porous	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:21
L10	881	(inkjet with head) with (substrate\$2 with cavity same porousnear10 (porous ro silicon))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:22
L11	197	(inkjet with head) with (substrate\$2 with cavity same porousnear10 (porous ro silicon)) and porous	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:22
L12	75	(inkjet with head) with (substrate\$2 with cavity same porousnear10 (porous ro silicon)) and porous and channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:22
L13	0	(printer with substrate with cavity with porous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:23
L14	3	(nozzle with substrate with cavity with porous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:23
L15	382	substrate with cavity with porous	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:24

L16	1390	29/890.1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:24
L17	2	16 and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:24
L18	2	("6117698" "6306671").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/17 10:26
L19	1204	216/27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:26
L20	1	15 and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:27
L21	2192	347/68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:27
L22	2	15 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:27
L23	1612	29/611	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:31
L24	2	15 and 23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:31

L25	1408	347/70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:31
L26	1	15 and 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:32
L27	586	347/93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:32
L28	1	15 and 27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:32
L29	2414	347/20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:32
L30	1	15 and 29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:33
L31	2	("6117698" "6306671").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/17 10:33
L32	3509	29/25.35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:34
L33	3	15 and 32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:34

L34	4	(inkjet with substrate with cavity with porous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:38
L35	28176	Takehito Okabe.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:39
L36	3	35 and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:39
L37	2	"20060085965"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:46
L38	462	(cleaning with bonding with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:46
L39	6	(cleaning with bonding with device) and argon and plasma and irradiating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:47
L40	286	29/603.06	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:49
L41	0	39 and 40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:49

L42	1549	29/593	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:49
L43	0	39 and 42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:49
L44	1222	428/96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:49
L45	0	39 and 44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:49
L46	308	29/745	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:50
L47	0	39 and 46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:50
L48	563	204/192.38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:50
L49	0	39 and 48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:50

L50	717	257/459	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:50
L51	0	39 and 50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:50
L52	19908	Tadatomo Suga.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:51
L53	3	39 and 52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:51
L54	1131	29/505	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:52
L55	0	39 and 54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:52
L56	6974	257/778	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:52
L57	1	39 and 56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 10:52
S1	4289	electronic adj package	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 10:08

S2	4170	conductive adj contacts	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 10:08
S3	301255	through adj hole	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 10:09
S4	65322	dielectric adj material	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 10:09
S5	9918	organic adj polymeric	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 10:10
S6	956	preselected adj thickness	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 10:10
S7	4352	melt adj solder	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 10:11
S8	1	S1 and S2 and S3 and S4 and S5	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 10:11
S9	20	("4713494" "4937707" "4954878" "5065227" "5263243" "5362656" "5386341" "5517754" "5530288" "5553769" "5567654" "5770476" "5781413" "5786628" "5822856" "5926029" "5972734" "5973391" "6259039" "6344696").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:15
S10	1	S1 and S5 and S6	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:13
S11	1	S1 and S5 and S6 and S7	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:13
S12	1	"5798563".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:15
S13	10	("4665468" "4847146" "4849284" "4965702" "5194713" "5249101" "5264664" "5375042" "5432677" "5525834").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 10:15

S14	29	("4665468").URPN.	USPAT	OR	OFF	2005/01/07 10:18
S15	780	29/852.ccls.	USPAT	OR	OFF	2005/01/07 10:18
S16	0	S15 and S10	USPAT	OR	OFF	2005/01/07 10:18
S17	366	29/842.ccls.	USPAT	OR	OFF	2005/01/07 10:19
S18	0	S17 and S10	USPAT	OR	OFF	2005/01/07 10:19
S19	1193	29/832.ccls.	USPAT	OR	OFF	2005/01/07 10:19
S20	0	S19 and S10	USPAT	OR	OFF	2005/01/07 10:19
S21	325	29/831.ccls.	USPAT	OR	OFF	2005/01/07 10:19
S22	0	S21 and S10	USPAT	OR	OFF	2005/01/07 10:20
S23	682	361/767.ccls.	USPAT	OR	OFF	2005/01/07 10:20
S24	0	S23 and S10	USPAT	OR	OFF	2005/01/07 10:20
S25	947	361/719.ccls.	USPAT	OR	OFF	2005/01/07 10:20
S26	0	S25 and S10	USPAT	OR	OFF	2005/01/07 10:20
S27	216	361/768.ccls.	USPAT	OR	OFF	2005/01/07 10:20
S28	0	S27 and S8	USPAT	OR	OFF	2005/01/07 10:21
S29	0	S25 and S8	USPAT	OR	OFF	2005/01/07 10:21
S30	187	216/72.ccls.	USPAT	OR	OFF	2005/01/07 10:21
S31	0	S30 and S8	USPAT	OR	OFF	2005/01/07 10:21
S32	0	219/121.ccls.	USPAT	OR	OFF	2005/01/07 10:22
S33	10	(clamp with circuit) with (fastener near10 (clip or aperture or holder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 09:06

S34	1	(clamp with breaker) with (fastener near10 (clip or aperture or holder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 09:07
S35	16	(clamp with cable) with (fastener near10 (clip or aperture or holder)) and clip\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 09:07
S36	36	(clamp with cable) with (fastener near10 (clip\$4 or aperture or holder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 09:08
S37	24	(metal adj foil) with (pinch\$4 near10 (rollers or pinch or feeds or constant or length))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:55
S38	74	(metal adj foil) with (rollers\$4 near10 (rollers or pinch or feeds or constant or length))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:59
S39	11154	pinch adj rollers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:59
S40	5	S38 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 08:59
S41	73516	metal adj foil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:02

S42	112	S41 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:02
S43	28	S41 and S39 and constant and length	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:02
S44	240	(substrate adj punching) with (substrate or remov\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:15
S45	11	(substrate adj punching) with (substrate or remov\$3) and grind\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:16
S46	0	(substrate adj punching) with (hole\$4 near10 (truncat\$3 or removor polish\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:18
S47	1	(substrate adj punching) with (hole\$4 near10 (truncat\$3 or remov\$3e or polish \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:18
S48	3	foil with pinch with rollers with constant with length	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:22
S49	121	(foil with pinch) with (roller\$4 near10 (constant with length or pinch or rollers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:23

S50	53	(foil with pinch) with (roller\$4 near10 (constant with length or pinch adj rollers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:25
S51	2	"5234150".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:41
S52	2	"20080216308"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:43
S53	76	(foil with pinch) with (pinch\$4 with rollers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 09:51
S54	13704	constant adj length	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 10:21
S55	3	S53 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 10:21
S56	228	S39 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 10:21
S57	171	S39 and S54 and foil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 10:21

S58	84	S41 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 10:23
-----	----	-------------	---	----	-----	---------------------

12/17/2008 10:53:06 AM

C:\Documents and Settings\nguyen53\My Documents\EAST\Workspaces\10251072
preselected thickness.wsp